

To: Christner, Jan[Jan.Christner@WestonSolutions.com]
From: Way, Steven
Sent: Sun 9/28/2014 2:50:26 PM
Subject: Re: Draft Gold King Polrep

Let's talk Monday - not sure I follow what you're saying re flume. ESAT needs to know if my measurement and flow are off too ?

Sent from my iPhone

On Sep 26, 2014, at 5:04 PM, "Christner, Jan" <Jan.Christner@WestonSolutions.com> wrote:

Steve,

I noticed (a little late) that your e-mail requesting the Gold King polrep said you wanted the DRMS information sheets included as part of the background. Jeff sent them this morning and I made a few revisions to the polrep (see attached) to make it more precise. The fact sheets helped explain the second discharge point and some of the other site features.

I felt a little better after reading the DRMS fact sheets. When I sent you the estimated Gold King Level 7 discharge flow from the week of August 25, I stated the flow was approximately 76 gpm (from a 2" Parshall flume table on the web). I should have known that was problematic due to the inconsistency with the reading from the MGD scale in the flume. We measured the flume the morning after the R&B work and realized it is a 3" flume, meaning the flow measured the week of August 25 was actually 112 gpm. Yes, it is a lesson well learned, no more eyeballing flume size measurements or accepting others' inputs. The DRMS sheets stating the flume is 2" were a small consolation.

Let me know if you want photos or anything else for the polrep.

Jan

From: Christner, Jan
Sent: Thursday, September 25, 2014 4:33 PM
To: 'way.steven@epa.gov'
Cc: Bryniarski, Jeff

Subject: Draft Gold King Polrep

Steve,

See the attached polrep. Let us know if you have questions or need additional information.

Jan and Jeff

Jan Christner

Weston Solutions, Inc.

505-269-1925 (cell)

Jeff Bryniarski

Weston Solutions, Inc.

1435 Garrison Street

Suite #100

Lakewood, CO 80215

708.284.2490 cell

303.729.6106 office

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

<GoldKingMine Polrep Draft2 9-23-14.docx>